

# RemoteTM



*Copyright © 2008 - 2024 Maxprograms*

# Table of Contents

<b>Introduction</b> .....	<b>1</b>
<b>Installation And Configuration</b> .....	<b>2</b>
Preparation .....	2
Installation Procedure .....	2
Email Server Configuration .....	2
<b>Translation Memories</b> .....	<b>4</b>
Add Memory .....	4
Remove Memory .....	5
Set Access Permissions .....	5
Import TMX .....	7
Export TMX .....	7
Close Memories .....	8
Refresh Memories .....	8
<b>Users Management</b> .....	<b>9</b>
Add User .....	9
Edit User .....	11
Remove User .....	11
Lock/Unlock User .....	12
Password Management .....	12
Change Password .....	12
Password Reset .....	13
<b>REST API</b> .....	<b>14</b>
Access Management .....	15
Authorization Request .....	15
Logout .....	16
Memories Management .....	16
Get Memories .....	17
Add Memory .....	18
Remove Memory .....	19
Import TMX .....	20
Upload File .....	20
Import File .....	20
Export TMX .....	21
Download File .....	22
Memory Permissions .....	23
Get Permissions .....	23
Set Permissions .....	24
Open Memory .....	25
Close Memory .....	25
Close Memories .....	26

---


Store Translation Unit .....	27
Get Translation Unit .....	28
Remove Translation Unit .....	28
Commit Changes .....	29
Search Translations .....	30
Search All Translations .....	31
Concordance Search .....	32
Batch Translation .....	34
Get Projects .....	36
Get Subjects .....	37
Get Clients .....	38
Get Memory Projects .....	38
Get Memory Subjects .....	39
Get Memory Clients .....	40
Users Management .....	41
Get Users .....	41
Add User .....	42
Get User .....	43
Update User .....	44
Remove User .....	45
Lock/Unlock User .....	45
Email Server Management .....	46
Get Email Server .....	46
Update Email Server .....	47
Glossary .....	i

# Introduction

**RemoteTM** is a secure application designed for sharing the **Translation Memory** engine used in **Swordfish** in LAN environments or over the Internet.

RemoteTM runs on top of a Java Servlet container like **Apache Tomcat** and can be used in all operating systems where the combination of Java and Apache Tomcat works.

RemoteTM has an open **REST API** that allows integration with any translation tool using web services.



The screenshot shows the RemoteTM web application interface. The browser address bar displays 'air.maxprograms.com:8443/RemoteTM/'. The application header includes 'RemoteTM' and navigation links for 'Settings', 'Help', and 'Sign Out'. Below the header is a menu bar with buttons for 'Add Memory', 'Remove Memory', 'Set Access', 'Import TMX', 'Export TMX', 'Close Memories', and 'Refresh'. The main content area features a table with the following columns: Memory, Owner, Creation Date, Open, Project, Subject, and Client. The table contains six rows of data.

Memory	Owner	Creation Date	Open	Project	Subject	Client
Arabic paradise	sysadmin	2021-04-03 17:19	No	Oasis		
First memory	sysadmin	2021-03-29 08:23	No	project One	Somethin' new	GBoard
Memory One	sysadmin	2021-04-23 09:19	No			
Memory Three	sysadmin	2021-04-23 09:19	No			
Swordfish UI	sysadmin	2021-04-10 07:27	No			
Terminology	sysadmin	2021-03-29 18:37	No		Terminology data	

RemoteTM 5.0.0\_20210410\_0843 © 2008 - 2021 Maxprograms

## Installation And Configuration

---

The following applications are required to install and run RemoteTM Web Server:

- Java 17, available at <https://www.adoptium.net>.
- Apache Tomcat available from <https://tomcat.apache.org/>, configured with an SSL certificate to work with HTTPS protocol.

JavaScript must be enabled in all client web browsers for using RemoteTM.

## Preparation

---

Collect the following information before installing RemoteTM Web Server:

- The URL in which the Apache Tomcat server accepts HTTPS requests;
- Configuration details for the SMTP server to use for sending email notifications:
  - Server name
  - Server port
  - User name
  - User password



### Tip

Visit [SSL/TLS Configuration How-To](#) for information on configuring Apache Tomcat to support HTTPS protocol.

---

## Installation Procedure

---

### About this task

Follow these steps to install RemoteTM Web Server:

### Procedure

1. Stop Apache Tomcat if it is running.
2. Copy RemoteTM.war to the /webapps folder of Apache Tomcat.
3. Delete the /webapps/RemoteTM folder generated by a previous installation if it exists.
4. Start the Apache Tomcat server.
5. Open the server URL in a web browser with /RemoteTM appended to it (e.g. if the server URL is `https://myserver.com:8443` then open `https://myserver.com:8443/RemoteTM`)
6. Login with these default credentials: **User Name:** `sysadmin` **Password:** `secData`
7. Change password for `sysadmin` user.
8. Configure an email server.
9. Modify the `sysadmin` user and set a real email address.

## Email Server Configuration

---

Follow these steps to configure the SMTP server that RemoteTM uses for sending email.

## About this task


RemoteTM sends email notifications in these cases:

- When a new user is added, to provide new credentials
- When TMX files are imported, to deliver import results
- When a password reset is requested, to provide a custom reset link

## Procedure

1. Login as a user with "System Administrator" privileges.
2. Click **Settings** → **Email Server** in main toolbar.

The **Email Server** dialog appears:



The screenshot shows the 'Email Server' dialog box with the following fields and options:

Field	Value
SMTP Server	
Port	
SMTP User	
SMTP Password	
Send From	RemoteTM Server <a href="https://tm.maxprograms.com/RemoteTM">https://tm.maxprograms.com/RemoteTM</a>
Authentication Required	<input checked="" type="checkbox"/>
Use TLS	<input checked="" type="checkbox"/>

A **Save** button is located at the bottom right of the dialog.

3. Enter the name or IP of the SMTP server in the **SMTP Server** text input.
4. Enter the port number in which the SMTP server accepts requests in the **Port** text input.
5. Enter the user name for the SMTP server in the **SMTP User** text input.
6. Enter the password for the user selected in previous step in the **SMTP Password** text input.
7. Enter the email address used for sending notifications in the **Send From** text input.
8. If necessary, adjust the URL of the RemoteTM server in the **RemoteTM Server** text input. This field is automatically populated by RemoteTM.
9. Check the **Authentication Required** check box if your SMTP server requires authentication.
10. Check the **Use TLS** check box if your SMTP server requires TLS/SSL protocols.
11. Click the **Save** button.

## Results

The updated email server configuration is stored in RemoteTM server.

## Translation Memories

---

Use the buttons on RemoteTM's main toolbar to manage your memories.

**Add Memory** **Remove Memory** **Set Access** **Import TMX** **Export TMX** **Close Memories** **Refresh**

The buttons on RemoteTM's main tool bar let you perform these tasks:

- Add Memory
- Remove Memory
- Set Access Permissions
- Import TMX
- Export TMX
- Close Memories
- Refresh Memories



### Note

Make sure that all memories are closed before shutting down or restarting Apache Tomcat.

---

## Add Memory

---

Follow these steps to add a new Translation Memory to RemoteTM.

### Procedure

1. Login as a user with "System Administrator" or "Project Manager" privileges.
2. Click the **Add Memory** button on the main toolbar.

The **Add Memory** dialog appears:

The screenshot shows a dialog box titled "Add Memory" with a close button (X) in the top right corner. The dialog contains four text input fields: "Memory Name", "Project", "Subject", and "Client". At the bottom right of the dialog is a blue button labeled "Add Memory".

3. Type a name for the new memory in the **Memory Name** text box.  
Only Latin characters, numbers and underscores should be used in a memory name.
4. Optionally, type a project description in the **Project** text input.

5. Optionally, type a subject for the TM data in the **Subject** text input.
6. Optionally, enter a client name in the **Client** text box.
7. Click the **Add Memory** button.

## Results

A translation memory is created with full access granted to the owner.

## Remove Memory

---

Follow these steps to remove a Translation Memory from RemoteTM.

### About this task

When you no longer need a Translation Memory, you may remove it from RemoteTM. Backup your data [exporting the memory as TMX](#) before removing it.

### Procedure

1. Select a memory on the main list by clicking on it.
2. Click on the **Remove Memory** button on the main toolbar.
3. Confirm memory removal on the dialog displayed by the browser.



#### CAUTION

Memory removal is permanent and cannot be undone.

---

## Results

Selected memory is removed and the list of memories is updated.

## Set Access Permissions

---

Follow these steps to set the access levels for each user on your memories.

### About this task

User access to translation memories content is controlled by setting access permissions. The access rights a user can have for a given translation memory are:

- Read
- Write
- Export

The following table summarizes the actions allowed to a user that has been granted access to a database:

Permission	Allowed Actions
Read	Use the translation memory in <a href="#">Swordfish</a> or RemoteTM's <a href="#">REST API</a> for the following tasks: <ul style="list-style-type: none"> <li>• TM matches retrieval</li> <li>• Concordance searches</li> <li>• Terms retrieval</li> <li>• Term searches</li> </ul>
Write	<ul style="list-style-type: none"> <li>• Import TMX files using RemoteTM's web interface.</li> <li>• Import TMX files using <a href="#">Swordfish</a> or RemoteTM's <a href="#">REST API</a>.</li> <li>• Select the translation memory as write-enabled database in <a href="#">Swordfish</a> or RemoteTM's <a href="#">REST API</a> for storing segments at translation time.</li> </ul>
Export	<ul style="list-style-type: none"> <li>• Export the translation memory as TMX using RemoteTM's web interface.</li> <li>• Export the database as TMX using <a href="#">Swordfish</a> or RemoteTM's <a href="#">REST API</a>.</li> </ul>


Users with "System Administrator" privileges can set access permissions for any translation memory.

Users with "Project Manager" privileges can set access permissions for any database they own.

## Procedure

1. Select a memory on the main list by clicking on it.
2. Click the **Set Access** button on the main toolbar.

The **Set Access** dialog appears:



3. Click on the checkboxes next each user ID to set the desired permission levels for that user.
4. Click on the **Set Access** button.

## Import TMX

---

Steps for importing TMX files into a translation memory using RemoteTM's web interface.


### About this task

RemoteTM translation memories can be populated with data from TMX files either using [Swordfish](#), its [REST API](#) or RemoteTM's own web interface. Using RemoteTM's web interface is faster.

### Procedure

1. Select a memory on the main list by clicking on it.
2. Click the **Import TMX** button on the main toolbar.

The **Import TMX** dialog appears:



3. Drag a TMX file from your computer and drop it on the top area of the **Import TMX** dialog. Alternatively, click on the **Select File** link to open a dialog for selecting a file from your computer.
4. Optionally, type a project description in the **Project** text input.
5. Optionally, type a subject for the TMX data in the **Subject** text input.
6. Optionally, enter a client name in the **Client** text box.
7. Click the **Import TMX** button.

### Results

RemoteTM uploads the selected TMX file and starts importing its data into the selected memory. On completion, an email with import results is sent to the user.

## Export TMX

---

Steps for exporting a translation memory as TMX using RemoteTM's web interface.

### About this task

RemoteTM memories can be exported as TMX files either using [Swordfish](#), its [REST API](#) or RemoteTM's own web interface. Using RemoteTM's web interface is faster.

## Procedure

1. Select a memory on the main list by clicking on it.
2. Click the **Export TMX** button.

## Results

RemoteTM exports the selected memory as TMX and once the export finishes, the TMX file is downloaded by the browser.

## Close Memories

---

### About this task

All translation memories must be closed before shutting down / restarting Apache Tomcat. Closing Apache Tomcat when translation memories are open may result in data loss.

### Procedure

1. Click the **Close Memories** button on the main toolbar.
2. Confirm the close operation.

### Results

All data is flushed to disk and translation memories are closed. Once all memories are closed, the list of memories is refreshed.

## Refresh Memories

---

### About this task

The list of memories and their statuses is loaded when a user signs in and is not updated automatically to reflect operations happening in background. It may be necessary to refresh the list to verify that there aren't open memories before shutting down [Apache Tomcat](#).

### Procedure

1. Click the **Refresh Memories** button on the main toolbar.

### Results

The list of memories is updated.

## Users Management

RemoteTM is a multi-user application. This section provides information for administering RemoteTM users.

A RemoteTM user can have one of these roles:

- System Administrator
- Project Manager
- Translator


The following table defines task restrictions based on user roles:

Task	System Administrator	Project Manager	Translator
Create/modify users	Yes	No	No
Create translation memories	Yes	Yes	No
Set access permissions	Yes	Yes	No
Delete a translation memory	Yes	No	No
Close memories	Yes	No	No

The following tasks do not have restrictions based on user roles, restrictions are defined at translation memory level by setting [Access Permissions](#) instead:

- Retrieve translations or perform searches using [Swordfish](#) or the [REST API](#).
- Import TMX files
- Write segments to the translation memory using [Swordfish](#) or the [REST API](#)
- Export translation memory as TMX

Users are created and maintained in the **Manage Users** dialog that is available in **Settings** menu.



## Add User

Follow these steps for adding a new RemoteTM user.


## Procedure

1. Click **Settings** → **Manage Users** in main toolbar.

The **Manage Users** dialog appears.

2. In the **Manage Users** dialog, click the **Add User** button.

The **Add User** dialog appears:



3. Type a unique identification code for the new user in the **User ID** text input.  
Only Latin characters, numbers, underscores or the '@' sign should be used in a User ID.

4. Type the name of the user in the **Name** text input.

5. Select a role for the user from the **Role** drop-down list. Available options are:

Option	Description
System Administrator	User that can manage the RemoteTM server without restrictions.
Project Manager	User that can create translation memories and assign use rights to other users.
Translator	User with access restricted to assigned translation memories.

6. Type the email address to use for sending notifications to the user in the **Email** text input.



### Important

If the email address of the user is invalid, sending the initial login credentials will fail and the user will not be created.

7. Click the **Add User** button.

## Results

An email with login credentials is sent to the new user and the user account is created.

## Edit User

---

Follow these steps for modifying an existing RemoteTM user.

### About this task


#### Procedure

1. Click **Settings** → **Manage Users** in main toolbar.

The **Manage Users** dialog appears.

2. Select a user on the **Manage Users** dialog list by clicking on it.
3. In the **Manage Users** dialog, click the **Edit User** button.

The **Edit User** dialog appears:



4. Adjust the contents of **Name**, **Role** or **Email** fields as needed.
5. Click the **Save** button.

### Results

The user account is updated with the new data.

## Remove User

---

### About this task

You should only delete users that do not own translation memories. If a user owns a translation memory, [lock the user's account](#) instead.

#### Procedure

1. Click **Settings** → **Manage Users** in main toolbar.

The **Manage Users** dialog appears.

2. Select the user to be removed in the table displayed by the **Manage Users** dialog by clicking on it.
3. Click the **Remove User** button.
4. Confirm the removal operation.

**CAUTION**

User removal is permanent and cannot be undone.

---

## Results

The selected user account is removed.

## Lock/Unlock User

---

A user account can be temporarily disabled without removing the associated data using this option.

### About this task

#### Procedure

1. Click **Settings** → **Manage Users** in main toolbar.  
The **Manage Users** dialog appears.
2. Select the user to be deleted in the table displayed by the **Manage Users** dialog by clicking on it.
3. Click the **Lock/Unlock User** button.

## Results

User status is changed and its status is updated in the Active column.

## Password Management

---

### Change Password

---

#### About this task

#### Procedure

1. Click **Settings** → **Change Password** in main toolbar.

The **Change Password** dialog appears:

Change Password

Current Password

New Password

Repeat Password

Change Password

2. Type your password in the **Current Password** text input.

3. Type a new password in the **New Password** text input.
4. Reenter the new password in the **Repeat Password** text input.
5. Click the **Change Password** button.

## Results

On success, the login screen is presented and you need to login again, using the new password, to continue working on RemoteTM.

## Password Reset


---

### About this task

### Procedure


1. Open RemoteTM's web page using your browser.

RemoteTM's **Sign In** dialog appears:



2. Click the **Reset Password** link.

The **Reset Password** dialog appears:



3. Type your user name in the **User Name** text input.
4. Type your email address in the **Email** text input.
5. Click the **Reset Password** button.

## Results

If your user name and email address match RemoteTM's records, a message with a custom link for resetting your password will be sent to the indicated email address.

## REST API

---

The REST methods exposed by RemotTM are:

- Access Management
  - Authorization Request
  - Logout
  
- Memories
  - Get Memories
  - Add Memory
  - Remove Memory
  - Import TMX
    - Upload File
    - Import File
  - Export TMX
    - Download File
  - Memory Permissions
    - Get Permissions
    - Set Permissions
  - Open Memory
  - Close Memory
  - Close Memories
  - Store Translation Unit
  - Get Translation Unit
  - Remove Translation Unit
  - Commit Changes
  - Search Translations
  - Search All Translations
  - Concordance Search
  - Batch Translation
  - Get Projects
  - Get Subjects
  - Get Clients
  - Get Memory Projects
  - Get Memory Subjects

- Get Memory Clients
- Users Management
  - Get Users
  - Add User
  - Get User
  - Update User
  - Remove User
  - Lock/Unlock User
- Email Server
  - Get Email Server
  - Update Email Server

## Access Management

---

The REST methods for access management exposed by RemoteTM are:

- Authorization Request
- Logout

## Authorization Request

---

End point: [RemoteTM URL]/remote

Send a `GET` request with these headers:

Header	Value
Content-Type	application/json
Authorization	BASIC authentication code

The value part of `Authorization` header is constructed as follows:

1. Combine `username` + `'` (colon character) + `password` into a single string. Notice that the `username` field cannot contain a colon.
2. Encode the string generated in step 1 using Base64.
3. Prepend `"BASIC "` to the string encoded in step 2.

For example, if the value of `username` is `services` and the `password` is `magic#123`, the string to be encoded using Base64 is `services:magic#123`. Then, the header to be sent to RemoteTM is:

```
Authorization: BASIC c2VydmljZXM6bWFnaWMjMTIz
```

RemoteTM responds with a JSON object.

On success, the value of `"status"` field is `"OK"`, `"ticket"` field contains the authorization code issued by RemoteTM and `"role"` field contains the user's role. Example:

```
{
  "status": "OK",
  "ticket": "28ceb966-150e-4b27-b603-c244160da5b7",
  "role": "PM"
}
```

On error, field "status" is set to "Error" and failure reason is indicated in the "reason" field.  
Example:

```
{
  "status": "Error",
  "reason": "Access Denied"
}
```

## Logout

End point: [RemoteTM URL]/logout

Send a GET request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK'. Example:

```
{
  "status": "OK"
}
```

On error, field 'status' is set to 'Error'. Example:

```
{
  "status": "Error"
}
```

## Memories Management

The REST methods for managing memories exposed by RemoteTM are:

- [Get Memories](#)
- [Add Memory](#)
- [Remove Memory](#)
- [Import TMX](#)
  - [Upload File](#)
  - [Import File](#)
- [Export TMX](#)

- Download File
- Memory Permissions
  - Get Permissions
  - Set Permissions
- Open Memory
- Close Memory
- Close Memories
- Store Translation Unit
- Get Translation Unit
- Remove Translation Unit
- Commit Changes
- Search Translations
- Search All Translations
- Concordance Search
- Batch Translation
- Get Projects
- Get Subjects
- Get Clients
- Get Memory Projects
- Get Memory Subjects
- Get Memory Clients

## Get Memories

---

End point: [RemoteTM URL]/memories

Send a GET request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK' and a list of memories in JSON format is included in field 'memories'. Example:

```
{
  "memories": [{
    "owner": "sysadmin",
    "subject": "Somethin' new",
```

```

    "name": "First memory",
    "project": "project One",
    "client": "Greenland",
    "id": "1617017020862",
    "creationDate": "2021-03-29 08:23",
    "open": false
  }, {
    "owner": "sysadmin",
    "subject": "Terminology data",
    "name": "Terminology",
    "project": "",
    "client": "",
    "id": "1617053861912",
    "creationDate": "2021-03-29 18:37",
    "open": false
  }],
  "status": "OK"
}

```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```

{
  "status": "Error",
  "reason": "Access denied"
}

```

## Add Memory

End point: [RemoteTM URL]/memories

Send a POST request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include these parameters in a JSON body:

Field	Value
command	addMemory
owner	ID of the user that owns the memory
name	The name of the new memory
project	Optional description of a related project
subject	Optional description of the related subject
client	Optional description of a related client

Example:

```
{
  "command": "addMemory",
  "name": "Terminology",
  "owner": "sysadmin",
  "project": "",
  "subject": "Terminology data",
  "client": ""
}
```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK'. Example:

```
{
  "status": "OK"
}
```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```
{
  "status": "Error",
  "reason": "Access denied"
}
```

## Remove Memory

End point: [RemoteTM URL]/memories

Send a POST request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include these parameters in a JSON body:

Field	Value
command	removeMemory
memory	ID of the memory to remove

Example:

```
{
  "command": "removeMemory",
  "memory": "1617053861912"
}
```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK'. Example:

```
{
  "status": "OK"
}
```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```
{
  "status": "Error",
  "reason": "Access denied"
}
```

## Import TMX

Importing a TMX file into a memory is a two-step process:

1. Upload File
2. Import File

### Upload File

End point: [RemoteTM URL]/upload

Send a POST request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	<ul style="list-style-type: none"> <li>• application/zip to upload the TMX file zipped in request body</li> <li>• multipart/form-data to upload the TMX file as HTML form attachment</li> </ul>

Include the TMX file in the request body, either zipped or as HTML form attachment in a "file" form data param.

RemoteTM tries to store the uploaded file in a temporary location and returns a JSON object.

On success, field 'status' is set to 'OK' and field 'file' contains the temporary file location. Example:

```
{
  "status": "OK",
  "file": "uploaded.tmx"
}
```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```
{
  "reason": "File upload error",
  "status": "Error"
}
```

### Import File

End point: [RemoteTM URL]/memories

Send a `POST` request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include these parameters in a JSON body:

Parameter	Value
command	importTMX
memory	ID of the memory to populate
file	Value of the "file" field received when <a href="#">uploading a TMX file</a>
project	Optional description of a related project
subject	Optional description of the related subject
client	Optional description of a related client
close	Boolean value indicating wether the memory should be closed after importing the TMX file.

Example:

```
{
  "command": "importTMX",
  "memory": "1617053861912",
  "file": "uploaded.tmx",
  "project": "Book Translation",
  "subject": "Chapter One",
  "client": "",
  "close": true
}
```

RemoteTM imports the TMX file into the selected memory and sends an email with import results to the session owner.

## Export TMX

End point: `[RemoteTM URL]/memories`

Send a `POST` request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include these parameters in a JSON body:

Field	Value
command	exportMemory
memory	ID of the memory to export
srcLang	The code of the language to set as source or '*all*' if any language is to be treated as source language
close	Boolean value indicating wether the memory should be closed after exporting.

Example:

```
{
  "command": "exportMemory",
  "memory": "1617053861912",
  "srcLang": "*all*",
  "close": false
}
```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK' and the location of the exported file is returned on the 'file' field. Example:

```
{
  "status": "OK",
  "file": "exportedFile.tmx"
}
```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```
{
  "status": "Error",
  "reason": "Access denied"
}
```

After the memory has been exported to the server filesystem, send a [file download](#) request to RemoteTM.

## Download File

End point: [RemoteTM URL]/download

Send a GET request with these parameters:

Parameter	Value
session	The ticket received from <a href="#">Authorization Request</a>
file	URL-encoded name of the file to download

Example:

```
https://myserver.com/RemoteTM/download?session=9321f-1070ae8&file=exportedFile.tmx
```

On success, RemoteTM responds with the requested file as attachment.

## Memory Permissions

The REST methods for managing memory permissions exposed by RemoteTM are:

- Get Permissions
- Set Permissions

### Get Permissions

End point: [RemoteTM URL]/permissions

Send a GET request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include this parameter in the request URL:

Parameter	Value
id	ID of the memory to query

Example:

```
https://tm.mydomain.com:8443/RemoteTM/permissions?id=1619955225759
```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK' and memory access rights are listed in the 'permissions' field. Example:

```
{
  "permissions": [{
    "memory": "1619955225759",
    "read": true,
    "user": "projman",
    "write": true,
    "export": true
  }, {
    "memory": "1619955225759",
    "read": true,
    "user": "linguist",
    "write": false,
    "export": false
  }, {
    "memory": "1619955225759",
    "read": true,
    "user": "sysadmin",
    "write": true,
    "export": true
  }],
  "status": "OK"
}
```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```
{
  "reason": "Invalid memory",
  "status": "Error"
}
```

## Set Permissions

End point: [RemoteTM URL]/permissions

Send a POST request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include these parameters in a JSON body:

Field	Value
memory	ID of the memory to update
permissions	Array containing individual access rights, in the format produced by <a href="#">Get Permissions</a> method

Example:

```
{
  "memory": "1619955225759",
  "permissions": [{
    "memory": "1619955225759",
    "read": true,
    "user": "projman",
    "write": true,
    "export": true
  }, {
    "memory": "1619955225759",
    "read": true,
    "user": "sysadmin",
    "write": true,
    "export": true
  }, {
    "memory": "1619955225759",
    "read": true,
    "user": "linguist",
    "write": true,
    "export": false
  }
]}
```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK'. Example:

```
{
  "status": "OK"
}
```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```
{
  "status": "Error",
  "reason": "Access denied"
}
```

## Open Memory

End point: [RemoteTM URL]/memories

Send a POST request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include these parameters in a JSON body:

Parameter	Value
command	openMemory
memory	ID of the memory to open

Example:

```
{
  "command": "openMemory",
  "memory": "1617053861912"
}
```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK'. Example:

```
{
  "status": "OK"
}
```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```
{
  "status": "Error",
  "reason": "Access denied"
}
```

## Close Memory

End point: [RemoteTM URL]/memories

Send a `POST` request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include these parameters in a JSON body:

Parameter	Value
command	closeMemory
memory	ID of the memory to close

Example:

```
{
  "command": "closeMemory",
  "memory": "1617963861912"
}
```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK'. Example:

```
{
  "status": "OK"
}
```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```
{
  "status": "Error",
  "reason": "Access denied"
}
```

## Close Memories

End point: [RemoteTM URL]/memories

Send a `POST` request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include this parameter in a JSON body:

Parameter	Value
command	closeMemories

Example:

```
{
  "command": "closeMemories"
}
```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK'. Example:

```
{
  "status": "OK"
}
```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```
{
  "status": "Error",
  "reason": "Access denied"
}
```

## Store Translation Unit

End point: [RemoteTM URL]/memories

Send a POST request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include these parameters in a JSON body:

Parameter	Value
command	storeTu
memory	ID of the memory to update
tu	Translation unit to import as TMX <tu> element

Example:

```
{
  "command": "storeTu",
  "memory": "1617963861912",
  "tu": "<tu tuid=\"1668707130-10-12-12\"> ... </tu>"
}
```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK'. Example:

```
{
  "status": "OK"
}
```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```
{
  "status": "Error",
  "reason": "Memory is closed"
}
```

## Get Translation Unit

End point: [RemoteTM URL]/memories

Send a POST request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include these parameters in a JSON body:

Parameter	Value
command	getTu
memory	ID of the memory to query
tuid	ID of the translation unit to retrieve

Example:

```
{
  "command": "getTu",
  "memory": "1617963861912",
  "tuid": "1668707130-10-12-12"
}
```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK' and requested translation unit is included in 'tu' field, escaped for JSON format. Example:

```
{
  "tu": "<tu tuid=\"1668707130-10-12-12\"> ... </tu>",
  "status": "OK"
}
```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```
{
  "status": "Error",
  "reason": "TU does not exist"
}
```

## Remove Translation Unit

End point: [RemoteTM URL]/memories

Send a POST request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include these parameters in a JSON body:

Parameter	Value
command	removeTu
memory	ID of the memory to update
tuid	ID of the translation unit to remove

Example:

```
{
  "command": "removeTu",
  "memory": "1617963861912",
  "tuid": "1668707130-10-12-12"
}
```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK'. Example:

```
{
  "status": "OK"
}
```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```
{
  "status": "Error",
  "reason": "TU does not exist"
}
```

## Commit Changes

End point: [RemoteTM URL]/memories

Send a POST request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include these parameters in a JSON body:

Parameter	Value
command	commit
memory	ID of the memory to update

Example:

```
{
  "command": "commit",
  "memory": "1617963861912"
}
```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK'. Example:

```
{
  "status": "OK"
}
```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```
{
  "status": "Error",
  "reason": "Access denied"
}
```

## Search Translations

End point: [RemoteTM URL]/memories

Send a POST request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include these parameters in a JSON body:

Parameter	Value
command	searchTranslation
memory	ID of the memory to query
searchStr	Text to search
srcLang	Source language code
tgtLang	Target language code
similarity	Minimum similarity percentage
caseSensitive	Boolean value indicating whether the search should be case sensitive

Example:

```
{
  "command": "searchTranslation",
  "memory": "1619955225759",
}
```

```

"searchStr": "Get Auto-Translations",
"srcLang": "en",
"tgtLang": "es",
"similarity": 60,
"caseSensitive": false
}

```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK' and search results are included in 'matches' field. Example:

```

{
  "status": "OK",
  "matches": [{
    "similarity": 76,
    "origin": "1619955225759",
    "source": "<tuv xml:lang=\"en\"><seg>Auto-Translation</seg></tuv>",
    "properties": {"project": "swordfish.ditamap"},
    "target": "<tuv xml:lang=\"es\"><seg>Auto-Traducción</seg></tuv>"
  }, {
    "similarity": 70,
    "origin": "1619955225759",
    "source": "<tuv xml:lang=\"en\"><seg>Export Translations</seg></tuv>",
    "properties": {"project": "swordfish.ditamap"},
    "target": "<tuv xml:lang=\"es\"><seg>Exportar Traducciones</seg></tuv>"
  }]
}

```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```

{
  "status": "Error",
  "reason": "Access denied"
}

```

## Search All Translations

End point: [RemoteTM URL]/memories

Send a POST request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include these parameters in a JSON body:

Parameter	Value
command	searchAll
memory	ID of the memory to query
searchStr	Text to search

Parameter	Value
srcLang	Source language code
similarity	Minimum similarity percentage
caseSensitive	Boolean value indicating whether the search should be case sensitive

Example:

```
{
  "command": "searchAll",
  "memory": "1619955225759",
  "searchStr": "Get source code",
  "srcLang": "en",
  "similarity": 60,
  "caseSensitive": false
}
```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK' and search results are included in 'tus' field, escaped for JSON notation. Example:

```
{ "tus": [
  "<tu tuid=\"467840381-10-12-12\">
    <prop type=\"customer\">Maxprograms</prop>
    <prop type=\"project\">swordfish.ditamap</prop>
    <tuv xml:lang=\"en\"><seg>Source Code</seg></tuv>
    <tuv xml:lang=\"pt\"><seg>Código fonte</seg></tuv>
  </tu>",
  "<tu creationtool=\"Swordfish\" tuid=\"1668707130-10-12-12\" >
    <prop type=\"project\">swordfish.ditamap</prop>
    <tuv xml:lang=\"en\"><seg>Source Code</seg></tuv>
    <tuv xml:lang=\"es\"><seg>Código Fuente</seg></tuv>
  </tu>",
  "status": "OK"
}
```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```
{
  "status": "Error",
  "reason": "Access denied"
}
```

## Concordance Search

End point: [RemoteTM URL]/memories

Send a POST request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include these parameters in a JSON body:

Parameter	Value
command	concordanceSearch
memory	ID of the memory to query
searchStr	Text to search
srcLang	Source language code
limit	Maximum number of matches to retrieve
isRegex	Boolean value indicating whether the search string is a regular expression
caseSensitive	Boolean value indicating whether the search should be case sensitive

Example:

```
{
  "command": "concordanceSearch",
  "memory": "1619955225759",
  "searchStr": "source code",
  "isRegex": false,
  "caseSensitive": false,
  "limit": 20,
  "srcLang": "en"
}
```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK' and search results are included in 'tus' field, escaped for JSON notation. Example:

```
{ "tus": [
  "<tu creationtool=\"Swordfish\" tuid=\"1668707130-10-12-12\">
    <prop type=\"project\">swordfish.ditamap</prop>
    <tuv xml:lang=\"en\"><seg>Source Code</seg></tuv>
    <tuv xml:lang=\"es\"><seg>Código Fuente</seg></tuv>
  </tu>",
  "<tu creationtool=\"Swordfish\" tuid=\"467840381-10-12-12\">
    <prop type=\"customer\">Maxprograms</prop>
    <prop type=\"project\">swordfish.ditamap</prop>
    <tuv xml:lang=\"en\"><seg>Source Code</seg></tuv>
    <tuv xml:lang=\"pt\"><seg>Código fonte</seg></tuv>
  </tu>",
  "status": "OK"
}
```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```
{
  "status": "Error",
  "reason": "Access denied"
}
```

## Batch Translation

End point: [RemoteTM URL]/memories

Send a POST request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include these parameters in a JSON body:

Parameter	Value
command	batchTranslate
memory	ID of the memory to query
srcLang	Source language code
tgtLang	Target Language
segments	Array of JSON entries containing these fields: <ul style="list-style-type: none"> <li>• unit: ID of the XLIFF &lt;unit&gt; being translated</li> <li>• file: ID of the XLIFF &lt;file&gt; being translated</li> <li>• segment: ID of the XLIFF &lt;segment&gt; being translated</li> <li>• pure: Pure text content of the segment being translated</li> </ul>

Example:

```
{
  "command": "batchTranslate",
  "memory": "1619955225759",
  "srcLang": "en",
  "tgtLang": "es",
  "segments": [{
    "unit": "2",
    "file": "1",
    "segment": "2",
    "pure": "Get Auto-Translations"
  }, {
    "unit": "3",
    "file": "1",
    "segment": "3",
  }
}
```

```

    "pure": "Apply Auto-Translation to All Segments"
  },{
    "unit": "4",
    "file": "1",
    "segment": "4-1",
    "pure": "Yearly Subscriptions"
  }
]
}

```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK' and translation results are included in 'matches' field. Example:

```

{
  "matches": [{
    "unit": "2",
    "file": "1",
    "segment": "2",
    "pure": "Get Auto-Translations",
    "matches": [{
      "similarity": 76,
      "origin": "1619955225759",
      "source": "<tuv xml:lang=\"en\"><seg>Auto-Translation</seg></tuv>",
      "properties": {
        "project": "swordfish.ditamap"
      },
      "target": "<tuv xml:lang=\"es\"><seg>Auto-Traducción</seg></tuv>"
    },{
      "similarity": 76,
      "origin": "1619955225759",
      "source": "<tuv xml:lang=\"en\"><seg>Auto-Translation</seg></tuv>",
      "target": "<tuv xml:lang=\"es\"><seg>Auto-Traducción</seg></tuv>"
    },{
      "similarity": 70,
      "origin": "1619955225759",
      "source": "<tuv xml:lang=\"en\"><seg>Export Translations</seg></tuv>",
      "properties": {
        "project": "swordfish.ditamap"
      },
      "target": "<tuv xml:lang=\"es\"><seg>Exportar Traducciones</seg></tuv>"
    }
  ]
},{
  "unit": "3",
  "file": "1",
  "segment": "3",
  "pure": "Apply Auto-Translation to All Segments",
  "matches": [{
    "similarity": 100,
    "origin": "1619955225759",
    "source": "<tuv xml:lang=\"en\"><seg>Apply Auto-Translation to All Segments</seg></tuv>",
    "target": "<tuv xml:lang=\"es\"><seg>Aplicar Auto-Translation a Todos los Segmentos</seg></tuv>"
  ]
}
}

```

```

    }
  ]
}, {
  "unit": "4",
  "file": "1",
  "segment": "4-1",
  "pure": "Yearly Subscriptions",
  "matches": [ {
    "similarity": 100,
    "origin": "1619955225759",
    "source": "<tuv xml:lang='en'><seg>Yearly Subscriptions</seg></tuv>",
    "target": "<tuv xml:lang='es'><seg>Suscripciones Anuales</seg></tuv>"
  }, {
    "similarity": 72,
    "origin": "1619955225759",
    "source": "<tuv xml:lang='en'><seg>Subscription Renewal</seg></tuv>",
    "properties": {
      "project": "swordfish.ditamap"
    },
    "target": "<tuv xml:lang='es'><seg>Renovación de Suscripción</seg></tuv>"
  }, {
    "similarity": 65,
    "origin": "1619955225759",
    "source": "<tuv xml:lang='en'><seg>Subscriptions</seg></tuv>",
    "properties": {
      "project": "swordfish.ditamap"
    },
    "target": "<tuv xml:lang='es'><seg>Suscripciones</seg></tuv>"
  } ]
}],
"status": "OK"
}

```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```

{
  "status": "Error",
  "reason": "Access denied"
}

```

## Get Projects

End point: [RemoteTM URL]/memories

Send a POST request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include this parameters in a JSON body:

Parameter	Value
command	getProjects

Example:

```
{
  "command": "getProjects"
}
```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK'. Example:

```
{
  "projects": ["Swordfish UI"],
  "status": "OK"
}
```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```
{
  "status": "Error",
  "reason": "Access denied"
}
```

## Get Subjects

End point: [RemoteTM URL]/memories

Send a POST request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include this parameters in a JSON body:

Parameter	Value
command	getSubjects

Example:

```
{
  "command": "getSubjects"
}
```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK'. Example:

```
{
  "subjects": ["Common Terms"],
}
```

```

    "status": "OK"
  }

```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```

{
  "status": "Error",
  "reason": "Access denied"
}

```

## Get Clients

End point: [RemoteTM URL]/memories

Send a POST request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include this parameters in a JSON body:

Parameter	Value
command	getClients

Example:

```

{
  "command": "getClients"
}

```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK'. Example:

```

{
  "clients": ["Maxprograms", "MVDSsoftware"],
  "status": "OK"
}

```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```

{
  "status": "Error",
  "reason": "Access denied"
}

```

## Get Memory Projects

End point: [RemoteTM URL]/memories

Send a POST request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include these parameters in a JSON body:

Parameter	Value
command	memoryProjects
memory	ID of the memory to query

Example:

```
{
  "command": "memoryProjects",
  "memory": "1619955225759"
}
```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK'. Example:

```
{
  "projects": ["remotetm.ditamap", "swordfish.ditamap"],
  "status": "OK"
}
```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```
{
  "status": "Error",
  "reason": "Access denied"
}
```

## Get Memory Subjects

End point: [RemoteTM URL]/memories

Send a POST request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include these parameters in a JSON body:

Parameter	Value
command	memorySubjects
memory	ID of the memory to query

Example:

```
{
  "command": "memorySubjects",
  "memory": "1619955225759"
}
```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK'. Example:

```
{
  "subjects": ["Terminology data"],
  "status": "OK"
}
```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```
{
  "status": "Error",
  "reason": "Access denied"
}
```

## Get Memory Clients

End point: [RemoteTM URL]/memories

Send a POST request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include these parameters in a JSON body:

Parameter	Value
command	memoryClients
memory	ID of the memory to query

Example:

```
{
  "command": "memoryClients",
  "memory": "1619955225759"
}
```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK'. Example:

```
{
  "clients": ["Maxprograms", "MVDSsoftware"],
  "status": "OK"
}
```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```
{
  "status": "Error",
  "reason": "Access denied"
}
```

## Users Management

The REST methods for managing users exposed by RemoteTM are:

- [Get Users](#)
- [Add User](#)
- [Get User](#)
- [Update User](#)
- [Remove User](#)
- [Lock/Unlock User](#)

### Get Users

End point: [RemoteTM URL]/users

Send a GET request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK' and a list of users in JSON format is returned in field 'users'. Example:

```
{
  "users": [{
    "role": "PM",
    "name": "Project Manager",
    "active": true,
    "id": "projman",
    "updated": false,
    "email": "projman@mydomain.com"
  }, {
    "role": "TR",
    "name": "Linguist",
    "active": true,
    "id": "linguist",
    "updated": true,
    "email": "linguist@mydomain.com"
  }, {
    "role": "SA",
```

```

    "name": "System Administrator",
    "active": true,
    "id": "sysadmin",
    "updated": true,
    "email": "sysadmin@mydomain.com"
  }],
  "status": "OK"
}

```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```

{
  "status": "Error",
  "reason": "Access denied"
}

```

## Add User

End point: [RemoteTM URL]/users

Send a POST request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include these parameters in a JSON body:

Field	Value
command	addUser
id	The ID of the new user
name	The name of the new user
role	'SA', 'PM' or 'TR'
email	The email address of the new user

Example:

```

{
  "command": "addUser",
  "id": "manager",
  "name": "Manager User",
  "role": "PM",
  "email": "pm@mydomain.com"
}

```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK'. Example:

```
{
  "status": "OK"
}
```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```
{
  "status": "Error",
  "reason": "Duplicated ID"
}
```

An email with a temporary password is sent to the new user's email. The user must login to RemoteTM and set a new password.



#### Note

User creation fails if RemoteTM's email server is not configured.

## Get User

End point: [RemoteTM URL]/users

Send a `POST` request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include these parameters in a JSON body:

Field	Value
command	getUser
id	The ID of the user to get

Example:

```
{
  "command": "getUser",
  "id": "manager"
}
```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK' and requested user data is included in field 'user'. Example:

```
{
  "user": {
    "role": "PM",
    "name": "Principal Manager",
    "active": true,
    "id": "manager",
  }
}
```

```

    "updated": true,
    "email": "pm@mydomain.com"
  },
  "status": "OK"
}

```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```

{
  "status": "Error",
  "reason": "Access denied"
}

```

## Update User

End point: [RemoteTM URL]/users

Send a POST request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include these parameters in a JSON body:

Field	Value
command	updateUser
id	The ID of the user to update
name	Updated user name
role	'SA', 'PM' OR 'TR'
email	Updated email

Example:

```

{
  "command": "updateUser",
  "id": "manager",
  "name": "Principal Manager",
  "role": "PM",
  "email": "pm@mydomain.com"
}

```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK'. Example:

```

{
  "status": "OK"
}

```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```
{
  "status": "Error",
  "reason": "Unknown user"
}
```

## Remove User

End point: [RemoteTM URL]/users

Send a POST request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include these parameters in a JSON body:

Field	Value
command	removeUser
id	The ID of the user to remove

Example:

```
{
  "command": "removeUser",
  "id": "manager"
}
```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK'. Example:

```
{
  "status": "OK"
}
```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```
{
  "status": "Error",
  "reason": "User owns memories"
}
```

## Lock/Unlock User

End point: [RemoteTM URL]/users

Send a POST request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>

Header	Value
Content-Type	application/json

Include these parameters in a JSON body:

Field	Value
command	toggleLock
id	The ID of the user to lock/unlock

Example:

```
{
  "command": "toggleLock",
  "id": "manager"
}
```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK'. Example:

```
{
  "status": "OK"
}
```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```
{
  "status": "Error",
  "reason": "Unknown user"
}
```

## Email Server Management

The REST methods for managing its email server exposed by RemoteTM are:

- [Get Email Server](#)
- [Update Email Server](#)

### Get Email Server

End point: [RemoteTM URL]/email

Send a GET request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK' and server configuration is returned. Example:

```
{
  "server": "smtp.mydomain.com",
  "password": "pass123$",
  "instance": "https://tm.mydomain.com:8443/RemoteTM",
  "authenticate": true,
  "port": "465",
  "from": "remotetm@mydomain.com",
  "tls": false,
  "user": "postmaster",
  "status": "OK"
}
```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```
{
  "status": "Error",
  "reason": "Access denied"
}
```

## Update Email Server

End point: [RemoteTM URL]/email

Send a POST request with these headers:

Header	Value
Session	The ticket received from <a href="#">Authorization Request</a>
Content-Type	application/json

Include these parameters in a JSON body:

Field	Value
server	Name or IP of the SMTP server
port	Port number in which the SMTP server accepts requests
user	User name for the SMTP server
password	Password for the SMTP user
instance	URL of the RemoteTM server
from	Email address used for sending notifications
authenticate	Boolean value indicating whether SMTP server requires authentication
tls	Boolean value indicating whether SMTP server requires TLS/SSL protocols

Example:

```
{
  "server": "smtp.mydomain.com",
  "port": "465",
  "user": "postmaster",
```

```
"password": "pass123$",  
"instance": "https://tm.mydomain.com:8443/RemoteTM",  
"from": "remotetm@mydomain.com",  
"authenticate": true,  
"tls": false  
}
```

RemoteTM responds with a JSON object.

On success, field 'status' is set to 'OK'. Example:

```
{  
  "status": "OK"  
}
```

On error, field 'status' is set to 'Error' and field 'reason' contains the error cause. Example:

```
{  
  "status": "Error",  
  "reason": "Access denied"  
}
```

## Glossary

### Apache Tomcat

[Apache Tomcat](#) is an open source software implementation of the Java Servlet and Java Server Pages technologies. The Java Servlet and JavaServer Pages specifications are developed under the Java Community Process.

### REST

**Representational state transfer** (REST) is a software architectural style which uses a subset of HTTP. It is commonly used to create interactive applications that use Web services.

### Swordfish Translation Editor

Swordfish is a CAT (Computer Aided Translation) tool based on Open Standards that supports MS Office, DITA, HTML and other document formats. Swordfish is published by [Maxprograms](#).

### TMX

Translation Memory eXchange (TMX) is an open standard originally published by LISA (Localization Industry Standards Association). The purpose of TMX is to allow easier exchange of translation memory data between tools and/or translation vendors with little or no loss of critical data during the process.

### Translation Memory

Translation Memory (TM) is a language technology that enables the translation of segments (paragraphs, sentences or phrases) of documents by searching for similar segments in a database and suggesting matches that are found in the databases as possible translations.